

Measurement of the CKM phase ϕ_1 in $b \rightarrow c\bar{u}d$ transitions at Belle

Wednesday, 4 October 2017 09:15 (15)

Two recent results on the time-dependent CP violation in $b \rightarrow c\bar{u}d$ transitions are discussed. The first one is joint Belle and BaBar analysis of the $\bar{B}^0 \rightarrow D_{CP}^0 h^0$ decays, where h^0 is a light unflavored meson and D^0 meson is reconstructed in a CP specific final state. The second one is analysis of the $\bar{B}^0 \rightarrow D^0 h^0$, $D^0 \rightarrow K_S^0 \pi^+ \pi^-$ decays at Belle. Time-dependent analysis of the $b \rightarrow c\bar{u}d$ transitions provides the most precise measurement of the $\cos 2\phi_1$, and it is almost free of the hadronic uncertainties. It also provides an approach for measurement of the $\sin 2\phi_1$, complimentary to the $b \rightarrow c\bar{c}s$ analysis. Future analysis of the $b \rightarrow c\bar{u}d$ transitions with large data sets of LHCb and Belle II experiments will provide an essential test of the Standard Model.

Primary author(s) : Mr. VOROBYEV, Vitaly (BINP)

Presenter(s) : Mr. VOROBYEV, Vitaly (BINP)

Session Classification : High Energy Physics - 2

Track Classification : High energy physics