

Contribution ID : 308 Type : Oral talk

Measurement of the inclusive branching fractions for Bs decays into D mesons

Thursday, 24 October 2024 18:05 (15)

We report measurement of the B^0_s absolute branching fractions $Br(B^0_s \to D^\pm_s X)$, $Br(B^0_s \to D^0/\bar{D}^0 X)$, and $Br(B^0_s \to D^\pm X)$. The results are based on a sample of 121.4 fb $^{-1}$ collected at the $\Upsilon(10860)$ resonance by the Belle detector at the KEKB asymmetric-energy e^+e^- collider. We perform full reconstruction of one B^0_s meson in $e^+e^- \to \Upsilon(10860) \to B^*_s\bar{B}^*_s$ events and measure yields of D^+_s , D^0_s , and D^+_s mesons in the rest of the event. We obtain $Br(B^0_s \to D^\pm_s X)$ = (68.6 \pm 7.2 \pm 4.0)%, $Br(B^0_s \to D^0/\bar{D}^0 X)$ = (21.5 \pm 6.1 \pm 1.8)%, and $Br(B^0_s \to D^\pm X)$ = (12.6 \pm 4.6 \pm 1.3)%, where the first uncertainty is statistical and the second is systematic. The results for $Br(B^0_s \to D^\pm_s X)$ and $Br(B^0_s \to D^0/\bar{D}^0 X)$ are compatible with previous Belle measurements, the $Br(B^0_s \to D^\pm_s X)$ is measured for the first time.

Primary author(s) : YASAVEEV, Murad (HSE)

Presenter(s): YASAVEEV, Murad (HSE)
Session Classification: HEP Experiment

Track Classification: High energy physics: experiment