



Новые результаты симуляций в среде Spdroot


**Дуров Андрей Ильич, А23-121
Солдатов Евгений Юрьевич**

20.09.2024
Москва


Simulation parameters

- Все симуляции производились с помощью генератора Pythia8
- $\sqrt{s} = 10\text{GeV}$
- Во всех симуляциях был использован **только** детектор bbc, остальные детекторы были отключены (покрытие bbc-региона по η (приблизительно): [-3.08;4.4]&&[3.08;4.4])
- Симуляции проводились по J/Psi (слайды 4-18) и по soft QCD (слайды 19-33)
- Для построения всех гистограмм были использованы **каты по типу частицы** (мионы - для J/Psi процесса и протоны - для Soft QCD процесса), а также **каты по θ** для исходных МС частиц по области детектора bbc $[0;0.1] \&\& [3.05;3.12]$ rad


Bbc geometry



J/Psi 500k event, All produced MC particles




J/Psi 500k event, MC muons reached BBC




J/Psi 500k event, Pt

Comparison between MC and BBC hits



J/Psi 500k event, Pt


Comparison between MC and Truth particles of BBC hits




Only muons in
bbc area

J/Psi 500k event, Pt

Comparison between BBC hits and Truth particles of BBC hits




J/Psi 500k event, Pt all together




J/Psi 500k event, Theta (θ)

Comparison between MC and BBC hits




J/Psi 500k event, Theta (θ)

Comparison between MC and Truth particles of BBC hits




J/Psi 500k event, Theta (θ)

Comparison between BBC hits and Truth particles of BBC hits




J/Psi 500k event, Theta (θ) all together




J/Psi 500k event, Phi (ϕ)

Comparison between MC and BBC hits




J/Psi 500k event, Phi (ϕ)

Comparison between MC and Truth particles of BBC hits




J/Psi 500k event, Phi (ϕ)


Comparison between BBC hits and Truth particles of BBC hits




J/Psi 500k event, Phi (ϕ) all together




J/Psi 500k event, Pseudorapidity (η)



Soft QCD 500k event, Produced particles




Soft QCD 500k event, MC protons reached BBC




Soft QCD 500k event, Pt

Comparison between MC and BBC hits




Soft QCD 500k event, Pt

Comparison between MC and Truth particles of BBC hits




Soft QCD 500k event, Pt

Comparison between BBC hits and Truth particles of BBC hits




Soft QCD 500k event, Pt all together




Soft QCD 500k event, Theta (θ)

Comparison between MC and BBC hits




Soft QCD 500k event, Theta (θ)

Comparison between MC and Truth particles of BBC hits




Soft QCD 500k event, Theta (θ)

Comparison between BBC hits and Truth particles of BBC hits




Soft QCD 500k event, Theta (θ) all together




Soft QCD 500k event, Phi (ϕ)

Comparison between MC and BBC hits




Soft QCD 500k event, Phi (ϕ)

Comparison between MC and Truth particles of BBC hits




Soft QCD 500k event, Phi (ϕ)


Comparison between BBC hits and Truth particles of BBC hits



Soft QCD 500k event, Phi (ϕ) all together



Soft QCD 500k event, Pseudorapidity (η)



What's next

1. Перейти с катов по θ на каты по η (по отношению к b_c)
2. Посмотреть родительские частицы электронов и мюонов в процессах по J/Psi, и протонов в процессе по Soft QCD
3. Исследовать пик в распределении η для мюонов в процессах по J/Psi

Спасибо за внимание!